Certificate of Constancy of Performance

Certificate No.: 0757-CPR-231-9006460-1-6

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Basis:

EN 1154







Controlled door closing devices

Product description/ specification	**DC 1, DC 2, DC 3, DC 5, DC 3.V, DC 4.V** According to configuration in **annex 1**
Levels and classes of performance	According to configuration in **annex 1**
Intended use(s)	Intended for use on hinged doors with requirements for fire resistance and smoke control
placed on the market under the name or trade mark of	**Montajes Electronicos Dorcas S.L.** Calle de José Serrano, 6, ES-46392 Siete Aguas, Valencia
and produced in the manufacturing plant(s)	**9007068**
Notified body No.	**0757**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 1154 : 1996-11+A1:2002-12+AC:2006-06


under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product.**

This certificate was first issued on 25.07.2016 and will remain valid until 14.10.2028, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 231 9006460.

Pascal Geiger
Deputy head of the notified product certification body
Certification & Surveillance Body
ift Rosenheim
15.10.2025

ift Rosenheim GmbH
Theodor-Gietl-Str. 7-9
83026 Rosenheim
Germany
Notified Body 0757



www.ec.europa.eu

Identity check

www.ift-rosenheim.de/
ift-zertifiziert
ID: 24F-DF91C

Ve-Zer-5113-en / 2025-02

Compilation of door closing devices:

Classification key

1	2	3	4	5	6
Category of use	Mechanical durability	Closing device size	Suitability for use one fire / smoke doors	Safety	Corrosion resistance

No.	Product	Reference test report	Item	1	2	3	4	5	6
1	DC 1	12-001020-PR05 of 12.12.2013 13-003990-PR03 of 11.02.2015	upper door closer with stay arm	4	8	3	1	1	3
2	DC 2	15-000514-PR03 of 05.12.2018 13-003990-PR04 of 11.02.2015	upper door closer with stay arm	4	8	3	1	1	3
3	DC 3	14-001860-PR04 of 12.06.2015 13-003990-PR02 of 11.02.2015	upper door closer with slide rail	4	8	3	1	1	3
4	DC 5	12-001020-PR06 of 19.06.2013 13-003990-PR02 of 11.02.2015	upper door closer with stay arm	4	8	3	1	1	3
5	DC 3.V	14-001860-PR04 of 12.06.2015 24-002554-PR02 of 03.11.2024	upper door closer with stay arm	4	8	3	1	1	3
6	DC 4.V	18-004027-PR01 of 18.06.2021 17-003122-PR01 of 29.11.2018	upper door closer with stay arm	4	8	3 / 6	1	1	3