
43’’ FHD LED Monitor

MW3243-V2



Features


- FHD display.
- Stable structure design, highly durable, ultra-narrow bezel, ultra-slim depth, light-weight and elegant.
- The automatic color and image enhancing engine effectively improves the contrast, details, and edges of the images and to render optimum colors.
- Wide 178° viewing angles allow viewing from almost any direction.
- Silent operation, offering a quiet working environment.
- VESA standard mount enables easy installation.
- Flexible wall mount and stand mount, saving space.


Specifications

Model	MW3243-V2
Panel	
Panel Size	43"
Backlight	DLED
Resolution	1920×1080
Color Support	1.07 B
Brightness (cd/m²)	300
Contrast Ratio	1200:1
Pixel Pitch (H × V) (mm)	0.245 x 0.245
Response Time (ms)	8
Viewing Angle (H/V)	Horizontal 178°, Vertical 178°
Refresh Rate	60 Hz
Display Size (mm)	941.1 x 529.4
Bezel Width	1.2mm (top/left/right) 21.3 mm (bottom)
Color Gamut	72% NTSC
Surface Treatment	Haze 1%, 3H, Semi-glare or Anti-glare
Panel Type	IPS
Interface	
Audio Output	1 x 3.5mm Headphone Jack
Video Input	2 x HDMI, 2 x DP
Speaker	
Speaker	2 x 8 W
VESA	
VESA (mm)	200 x 200
Wall-mounted Thread	4-M6 (10mm Deep Thread)
OSD	
Multi-Language	Simplified Chinese, English, French, Spanish, Portuguese, German, Italian, Dutch, Swedish, Finnish, Polish, Czech, Russian, Korean, Traditional Chinese, Japanese, Greek, Hungarian, Turkish
General	
Input Voltage	AC 100 ~ 240 V, 50/60 Hz
Max Power Consumption (W)	90
Standby Power Consumption (W)	≤0.5
Product Dimensions (W × H × D) (mm)	957 x 560.8 x 85.7 (Without Pedestal) 957 x 627.6 x 220.8 (With Pedestal)
Package Dimensions (W × H × D) (mm)	1044 x 644 x 142
Weight (kg)	Net Weight: 6.5 Gross Weight: 9.3
Operating Temperature	0°C ~ 40°C


Operating Humidity	10% ~ 85% (No Condensation)
Storage Temperature	-10°C ~ 60°C
Storage Humidity	10% ~ 90% (No Condensation)
Material	Plastic
Lifetime (h)	30000
Certifications	CE/FCC
Standard	1 x 1.5m HDMI Cable, 1 x Quick Guide, 1 x Remote Control, 1 x 1.5m Power Cable, 1 x Pedestal
Optional Accessories	HB-4032-E LED Monitor Display Wall Mounting Bracket
MTBF (h)	30000 h

Dimensions





Interface



Ordering Info

Product Model	Description
MW3243-F-V3	43'' FHD LED Monitor

Unlimited New View

Zhejiang Uniview Technologies Co., Ltd.

http://www.uniview.com

overseasbusiness@uniview.com; globalsupport@uniview.com

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China

©2023-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.

Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.