DS-D5AC9C5-8S2
OPS Module



- Intel UHD Graphics 630, support H.265 and 4K resolution
- Support M.2 nvme system disk quick start
- Support 4 USB 3.0 ports, 2 USB2.0 ports, 1 HDMI port, 1 DP interface
- Support dual channel memory


▪ Specification


Built-in System	
Processor	Intel® Core i5 9300H
CPU Clock Speed	2.4GHz
Platform Architecture	Intel® Coffeelake
PCH	Intel® HM370
Graphics	Intel® UHD Graphics 630
Memory	4G*2
Storage	256G
NIC	Integrated 10/100/1000M Adaption
Cooling System	Single Brass & Single Fan
Interface	
Network Interface	RJ45×1
Data Transmission Interface	Bluetooth 5.0
Antenna	2
Video Output	HDMIx1, DPx1
Power	
Input Voltage	12V-19V DC
Max. Consumption	60W
Standby Consumption	0.5W
Working Environment	
Storage Temperature	-20°C - 60°C
Storage Humidity	10%-90%
Working Temperature	0°C - 40°C
Working Humidity	10%-90%
General	
Color	Black
Product Dimensions (W × H × D)	180×195×30mm
Net Weight	About 1.24kg


▪ Available Model

DS-D5AC9C5-8S2(海外标配),

▪ Dimension


179.7
16.35
88
59
59
32.74
42.7
52.35
42.7


4


29.7

Headquarters
No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com

Follow us on social media to get the latest product and solution information.

Hikvision HikvisionHQ HikvisionHQ Hikvision_Global Hikvision Corporate Channel hikvisionhq

©Hikvision Digital Technology Co., Ltd. 2022 | Data subject to change without notice |