
Guía de instalación

Idioma: español




N.° de modelo: IB-EST009-W-MK


- Para garantizar un uso correcto y seguro, lea atentamente este manual antes de la instalación.
- Este modelo es adecuado para pantallas planas interactivas de 43" a 86".
- El soporte de suelo IB-EST009-W puede agregar este soporte para convertirlo en un soporte móvil. El soporte móvil puede soportar hasta 150 kg.

Componentes principales del soporte móvil (1):

- Para obtener información detallada sobre la instalación, consulte la "Guía de instalación del IB-EST009-W".



A-Marco principal IB-EST009-W 1 pieza



B-IB-EST009-W Placa de montaje en pared 1 pieza




C-IB-EST009-W Tira para colgar 2 piezas


- Accesorios de instalación de placa de montaje en pared y tira para colgar:

		
a-Tornillo de cruz M8*25 4 piezas	b-Tornillos en cruz M6*16 4 piezas	c-Junta de hierro 4 piezas


- Conjunto IB-EST009-W-MK, piezas principales (2):



D-Panel trasero 1 pieza



E-Base 1 pieza




F-Pieza de fijación 1 pieza




G-Rueda 4 piezas

				
①-Tornillos M4*8 8 piezas	②-Tornillo M8*25 4 piezas	③-Junta M8 ϕ24*12.5*1.5 4pcs	④-Arandelas de resorte φ20*12.5*3.1 4pcs	④-Tornillo M6*15 4 piezas


Paso 1: Instale las ruedas en la base.




Paso 2: Instale la base en la columna IB-EST009-W.




Paso 3: Instale el panel posterior en el soporte IB-EST009-W



Paso 4: Instale la pieza de fijación en el soporte IB-EST009-W. Instale la placa de montaje en pared en el soporte IB-EST009-W.




Paso 5: Ensamble la tira con la pantalla plana interactiva y luego bloquee el tornillo.




Paso 6: Cuelgue la tira que instaló en el IFPD en la placa de pared del soporte móvil y luego bloquee los tornillos de seguridad.

Nota: Este paso requiere dos personas para completarlo.








Installation Guide


Language : English




Model No.:IB-EST009-W-MK

- To ensure correct and safe use, please read this manual carefully before installation.
- This model is suitable for 43" -86" interactive flat panel display.
- The floor support stand IB-EST009-W can add this bracket to turn into a mobile stand, The mobile stand can support up to 150 kg.

- Main assembly parts of the mobile stand (1):
  For detailed installation, please refer to the "Installation Guide for IB-EST009-W"



A-IB-EST009-W main frame 1pc



B-IB-EST009-W wall mount plate 1pc




C-IB-EST009-W hanging strip 2 pcs


- Wall mount plate and hanging strip installation accessories:

		
a-M8*25 cross s crew 4pcs	b-M6*16 cross s crew 4pcs	c-Iron gasket 4pcs


- IB-EST009-W-MK assembly main parts (2):



D-Back panel 1pc



E-Base 1pc




F-Fixing part 1pc




G-Wheel 4pcs

				
①-M4*8 screw 8pcs	②-M8*25 screw 4pcs	③-M8 gasket φ24*12.5*1.5 4pcs	④-Spring washers φ20*12.5*3.1 4pcs	④-M6*15 screw 4pcs


Step 1: Install the wheel casters to the base.




Step 2: Install the base onto the IB-EST009-W column.




Step 3: Install the back panel onto the IB-EST009-W stand



Step 4: Install the fixing part to the IB-EST009-W stand. Install the wall mount plate to the IB-EST009-W stand.



Step 5: Assemble the strip with the interactive flat panel display and then lock the screw.



Step 6: Hang the strip that installed on the IFPD onto the the wall plate of the mobile stand, adn then lock the safety screws.

Note: This step requires two people to complete.

